Index to Volume 61

A

Abbott, N. B. 391–417

Acceptance Sampling Plans (MIL-STD-105D) 137–57

Acoustic and Articulatory Information (Graphic Displays of Combined Presentations of) 799–810

Acoustic Microscope escription of Bell Laboratories Scanned) 2167–83

Acronyms and Abbreviations
Automated Repair Service Bureau 1345–7
Database Systems 2597–8
D4 Digital Channel Bank Family 2835–8
No. 10A Remote Switching System 643–6
1A Voice Storage System 913–4
Stored Program Controlled Network 1799–803

Adams, R. L. 2815–34

Adaptive Equalizer (Digitally Implemented, Fractionally Spaced; Tap-Leakage Algorithm for Stable Operation of a) 1817–39

Adaptive Intra-Interframe DPCM Coder 747–64

Adaptive Kalman Filtering (Quality Evaluation Plan Using) 2081–107

Adaptive Linear Digital Filter (Rapidly Converging; Theory for) 97–115

Administrative Functions and Network Implementation (800 Service Using SPC Network Capability) 1745–57

Adrian, J. M. 451–89

Advance Calling Services (1A Voice Storage System) 815–9, 821–39

Ahamed, S. V. 327–46, 1003–77

Aho, A. V. 2383–5

Alarms and Trunk Processing (D4 Channel Bank) 2611–64

Albanese, A. 247–56

Albert, W. G. 2757–90

Algorithm for Finding Minimum-Cost Flows in Capacitated Networks With Applications (Primal) 949–68

Algorithm for Special-Services Demand (Sequential Projection) 39–66

Algorithm for Traffic Load Forecasting (Robust Sequential Projection) 15–38

Algorithm for Trunk Demand Servicing (Short-Term Forecasting) 67–96

Algorithm (Tap Leakage) for the Stable Operation of a Digitally Implemented, Fractionally Spaced Adaptive Equalizer 1817–39

Amster, S. J. 2333–64

Analog and Analog-Digital Bipolar Integrated Circuits (Custom; D4 Digital Channel Bank Family) 2791–813

Analysis and Design (Human Performance) in Planning the Automated Repair Service Bureau (Two Examples of) 1301–12

Analysis of the Carrier-Sense Multiple-Access Protocal (An) 2023–51

Anderson, D. A. 565–96

Andrews, F. T., Jr. 1575–7

Anick, D. 1871–94

Application of Graph Theory to the Solution of a Nonlinear Optimal Assignment Problem 1863–70

Applications of Network-Flow Models 949–68

Approximate Mean Waiting Times in Transient GI/G/1 Queues 2003–22

Approximate Thermal Model for Outdoor Electronics Cabinets (An) 227–46

Approximation (Inversion Technique for the Laplace Transform With Application to) 1995–2002

Approximation of Multivariate Functions (Piecewise Linear) 1463–86

Approximations for the Waiting Time Distribution in a *GI/G/1* Queueing System (Class of) 295–325

Aprille, T. J. 2703–20, 2721–40

Architecture and Circuit Design of

THE No. 10A REMOTE SWITCHING SYSTEM
Control Complex 419–50
Peripheral Systems 451–89
ARCHITECTURE AND DATA BASE DESIGN (DATA BASE ADMINISTRATION SYSTEM; STORED PROGRAM CONTROLLED NETWORK) 1779–97
ARCHITECTURE AND DESIGN ISSUES (DATABASE ADMINISTRATION SYSTEM) 2439–58
ARCHITECTURE AND PHYSICAL DESIGN (1A VOICE STORAGE SYSTEM) 841–61
ARCHITECTURE FOR VIDEOTEX SYSTEM 2475–86
ARCHITECTURE OF DISTRIBUTED DATABASE MANAGEMENT SYSTEM FOR LOGICAL SUBNETWORKS 2459–74
ARCHITECTURE OF HOST SOFTWARE (No. 10A REMOTE SWITCHING SYSTEM) 491–524
ARCHITECTURE OF THE STORED PROGRAM CONTROLLED NETWORK 1579–88
Arnold, H. W. 1567–72
ARSB *See* AUTOMATED REPAIR SERVICE BUREAU
ARTICULATORY AND ACOUSTIC INFORMATION (GRAPHIC DISPLAYS OF COMBINED PRESENTATIONS OF) 799–810
ASSIGNMENT PROBLEM (NONLINEAR OPTIMAL; APPLICATION OF GRAPH THEORY TO THE SOLUTION OF A) 1863–70
ASYMPTOTIC EXPANSIONS AND INTEGRAL REPRESENTATIONS FOR CLOSED MARKOVIAN QUEUEING NETWORKS (NORMAL USAGE) 661–83
AUDIO CHANNEL (OPTICALLY POWERED) FOR WIDEBAND, BIDIRECTIONAL LIGHTGUIDE COMMUNICATION 1359–65
Automated Repair Service Bureau:
Acronyms and Abbreviations 1345–7
Cable Repair Administrative System 1275–91
Context-Sensitive Switch of the Loop Maintenance Operations System (The) 1197–208
Data Base System 1131–51
Economic Evaluation 1325–44
Evolution 1097–114
Front-End System (The) 1165–76
Human Performance Design Techniques 1293–9
Mechanized Loop Testing Design 1235–56
Mechanized Loop Testing Strategies and Techniques 1209–34
On-line Documentation: Mechanizing Development, Delivery and Use 1313–23
Preface 1095–6
Second-Generation Mechanized Loop Testing System—A Distributed Microprocessor Application 1257–74
Software Tools and Components 1177–95
System Architecture 1115–29
Trouble Report Evaluation and Analysis Tool (The) 1153–63
Two Examples of Human Performance Analysis and Design in Planning the ARSB 1301–12
AUTOMATIC SPEECH RECOGNITION VIA CONVENTIONAL INPUT PROCESSING (DIFFICULTY OF) 799–810
AVALANCHE PHOTODETECTOR RECEIVERS FOR LONG-WAVELENGTH OPTICAL COMMUNICATIONS (SENSITIVITY OF) 2929–46

B

BANDWIDTH COMPRESSION TECHNIQUES (TV) USING TIME-COMPANDED DIFFERENTIALS AND THEIR APPLICATIONS TO SATELLITE TRANSMISSIONS 2917–27
BANDWIDTH SPECTRA (ULTRA-WIDE) IN DOUBLE-CLAD SINGLE-MODE FIBER (EXPERIMENTAL VERIFICATION OF) 385–90
Barbera, S. J. 1095–6
Barclay, D. K. 2423–37
Barrere, R. G. 1759–77
Basinger, R. G. 1655–73
BELL LABORATORIES (DATABASE WORK AT) 2383–5
BELL LABORATORIES SCANNED ACOUSTIC MICROSCOPE (DESCRIPTION OF) 2167–83
BELLMAC*-8 PROCESSOR (USED IN No. 10A REMOTE SWITCHING SYSTEM) 419–50
BELL SYSTEM SERVICE REPRESENTATIVE (HUMAN PERFORMANCE ENGINEERING CONSIDERATIONS FOR VERY-LARGE-SCALE COMPUTER-BASED SYSTEMS) 765–97
Benjamin, R. E. 2665–76
Berger, M. 1655–73
Bergeron, R. F. 1177–95
Bergh, A. 981–1001
Bergland, G. D. 815–9
Bergmann, E. E. 935–48
Bernardini, J. 1841–62
Bianchi, M. H. 1313–23

* Trademark of Western Electric Company.

BIDIRECTIONAL LIGHTGUIDE COMMUNICATION WITH AN OPTICALLY POWERED AUDIO CHANNEL (BIDIRECTIONAL) 1359–65
BIPHASE SWITCHED, PARASITIC INSENSITIVE CAPACITOR FILTERS REALIZED WITH ONE OPERATIONAL AMPLIFIER PER POLE PAIR 685–707
BIPOLAR GATE ARRAY CIRCUITS (D4 DIGITAL CHANNEL BANK FAMILY) 2791–813
Bishop, D. J. 2167–83
BLOCKING LIMIT AS OFFERED LOAD DECREASES WITH FIXED PEAKEDNESS 2911–6
BLOCKING PROBABILITIES FOR REGULAR SERIES PARALLEL CHANNEL GRAPHS (COMPARISONS ON) 1965–73
BLOCKING (TRUNK GROUP; EFFECTS OF DAY-TO-DAY LOAD VARIATION ON) 123–35
Boggs, P. S. 1097–1114, 1275–91
Bowen, E. G. 969–79
Bowker, M. W. 1097–114
Bowman, P. W. 885–911
Brown, D. W. 491–524
Brown, M. K. 2971–87
Brush, G. G. 2333–64
BUBBLE MEMORIES (MAGNETIC; USED TO PROVIDE RECORDED ANNOUNCEMENTS) 1841–62
BUILDINGS AND ENCLOSURES (No. 10A REMOTE SWITCHING SYSTEM) 525–64
Bulcha, B. 2129–41
Burgess, P. N. 627–42
Burke, P. J. 2911–6
Byrne, E. R. 2423–37

C

CABLE REPAIR ADMINISTRATIVE SYSTEM (AUTOMATED REPAIR SERVICE BUREAU) 1275–91
CALL ANSWERING SERVICE (1A VOICE STORAGE SYSTEM) 815–9, 821–39
CALL FORWARDING SERVICE (1A VOICE STORAGE SYSTEM) 821–39
CALLING CARD SERVICE
(Human Factors Studies; Stored Program Controlled Network) 1715–35
(Overall Description and Operational Characteristics; Stored Program Controlled Network) 1655–73
(TSPS Hardware, Software, and Signaling Implementation; Stored Program Controlled Network) 1675–714
CALL PROCESSING CONTROL (No. 10A REMOTE SWITCHING SYSTEM) 491–524
CALL WAITING SERVICE (1A VOICE STORAGE SYSTEM) 821–39
CAPABILITIES AND SIGNALING ARCHITECTURE (STORED PROGRAM CONTROLLED NETWORK; No. 1/1A ESS) 1611–36
CAPABILITY OF DATAPORT 2703–20
CAPACITATED NETWORKS (PRIMAL ALGORITHM FOR FINDING MINIMUM-COST FLOWS IN) 949–68
CAPACITOR FILTERS (PARASITIC INSENSITIVE, BIPHASE SWITCHED) REALIZED WITH ONE OPERATIONAL AMPLIFIER PER POLE PAIR 685–707
CARRIER INTERFACE (No. 10A REMOTE SWITCHING SYSTEM) 451–89
CARRIER-SENSE, MULTIPLE-ACCESS/COLLISION-DETECTION *See* CSMA/CD
CARRIER-SENSE MULTIPLE-ACCESS PROTOCOL (ANALYSIS OF THE) 2023–51
CCIS AND STORED PROGRAM CONTROLLED NETWORK PERFORMANCE 1637–54
CCIS NETWORK (ROUTING OF DIRECT-SIGNALING MESSAGES IN THE; STORED PROGRAM CONTROLLED NETWORK) 1599–609
Chadha, K. J. S. 391–417
Chang, R. 267–82
CHANNEL BANK (D4 DIGITAL CHANNEL BANK FAMILY) 2611–64
CHANNEL GRAPHS (REGULAR SERIES PARALLEL; COMPARISONS ON BLOCKING PROBABILITIES FOR) 1965–73
CHANNEL MAINTENANCE(No. 10A REMOTE SWITCHING SYSTEM) 597–625
CHANNEL UNITS
(Dataport) for Digital Data System Subrates (D4 Digital Channel Bank Family) 2721–40
(D4 Channel Bank) 2611–64
CHANNEL-UNIT TESTING (USE OF D4 MAINTENANCE BANK FOR D4) 2665–76
Chappell, S. G. 1165–76
Chernak, J. 2607–10
Chiang, T. C. 2511–28
Cho, Y.-S. 2677–702
CIRCUIT DESIGN AND CONTROL-COMPLEX ARCHITECTURE (No. 10A REMOTE SWITCHING SYSTEM) 419–50
CIRCUIT DESIGN AND PERIPHERAL SYSTEMS ARCHITECTURE (No. 10A REMOTE SWITCHING SYSTEM) 451–89
CIRCUITS (CUSTOM-INTEGRATED) FOR DIGITAL TERMINALS (D4 DIGITAL CHANNEL BANK FAMILY) 2791–813
Class of Approximations for the Waiting Time Distribution in a GI/G/1 Queueing System (A) 295–325
CLOSED MARKOVIAN QUEUEING NETWORKS (INTEGRAL REPRESENTATIONS AND ASYMPTOTIC EXPANSIONS; NORMAL USAGE) 661–83

CODER (ADAPTIVE INTRA-INTERFRAME DPCM) 747–64
Cohen, D. 2459–74
Cohen, L. G. 385–90
COLORIZATION DIAGNOSTICS IN OPTICAL TELECOMMUNICATIONS (VIDEO) 267–82
COMBINED PRESENTATIONS OF ACOUSTIC AND ARTICULATORY INFORMATION (GRAPHIC DISPLAYS OF) 799–810
COMMENTS ON *Fractionally Spaced Equalization: An Improved Digital Transversal Equalizer* (GITLIN AND WEINSTEIN) 375
Author Response to Comments 375
COMMENTS ON *Voice Storage in the Network—Perspective and History*, BY E. NUSSBAUM 2365
COMMON-CHANNEL INTEROFFICE SIGNALING *See* CCIS
COMMUNICATION CHANNELS (OPERATOR-TYPE MODELS OF) 159–99
COMMUNICATIONS NETWORK (UNIDIRECTIONAL LOCAL-AREA; DESCRIPTION OF FASNET) 1413–40
Comparisons on Blocking Probabilities for Regular Series Parallel Channel Graphs 1965–73
COMPONENTS AND TOOLS (SOFTWARE; AUTOMATED REPAIR SERVICE BUREAU) 1177–95
COMPUTER-BASED SYSTEMS (LARGE-SCALE; HUMAN PERFORMANCE ENGINEERING CONSIDERATIONS FOR) 765–97
COMPUTER (SPECIAL-PURPOSE) FOR LOGIC SIMULATION USING DISTRIBUTED PROCESSING 2873–909
COMPUTER SYSTEMS WITH REAL-TIME APPLICATIONS (QUEUEING SYSTEM APPROXIMATIONS FOR) 295–325
COMPUTING SCIENCE AND SYSTEMS 2383–598
Computing the Distribution of a Random Variable via Gaussian Quadrature Rules 2245–61
COMSTAR SATELLITE SIGNALS (LOW-ELEVATION-ANGLE PROPAGATION EFFECTS ON) 1567–72
CONCURRENT, TRANSACTION-ORIENTED, READ-WRITE SEARCH ACCESS TO A LARGE DATABASE OF PAGES PROVIDED BY THE INTELLIGENT STORE 2567–96
CONDUCTING AND PLANNING FIELD-TRACKING STUDIES 2333–64
Confalone, D. E. 1675–714
CONNECTED-DIGIT AND -WORD RECOGNITION (IMPROVED TRAINING PROCEDURE FOR) 981–1001
Considerations for Single-Mode Fiber Systems 1919–31
CONSTANT-AMPLITUDE MODULATION SCHEMES (ERROR PROBABILITY OF) 1933–63
CONTENT-ADDRESSABLE PAGE MANAGER (INTELLIGENT STORE) 2567–96
CONTEXT-SENSITIVE SWITCH OF THE LOOP MAINTENANCE OPERATIONS SYSTEM (AUTOMATED REPAIR SERVICE BUREAU) 1197–208
Continuing Evolution of the Military Standard 105D Sampling System (The) 137–57
CONTINUOUS-PHASE PARTIAL-RESPONSE MODULATION WITH COHERENT MSK-TYPE RECEIVER, DIVERSITY, AND SLOW RAYLEIGH FADING IN GAUSSIAN NOISE (ERROR PROBABILITY OF) 1933–63
CONTROL-COMPLEX ARCHITECTURE AND CIRCUIT DESIGN (NO. 10A REMOTE SWITCHING SYSTEM) 419–50
CONTROL SYSTEMS (OPERATOR-TYPE MODELS OF) 159–99
CONTROL TECHNIQUES (NO. 10A REMOTE SWITCHING SYSTEM) 391–417
Cornell, R. G. 841–61
Cox, R. V. 2263–88
Coyne, J. C. 227–46
Crochiere, R. E. 2263–88
C~ue, C. R. 2611–64
CSMA/CD VARIATION THAT YIELDS MOVABLE TDM SLOTS IN INTEGRATED VOICE/DATA LOCAL NETWORKS 1527–50
CSMA *See* CARRIER-SENSE MULTIPLE-ACCESS
CUMULATIVE DISTRIBUTION FUNCTION OF A RANDOM VARIABLE (METHOD FOR COMPUTING THE) 2245–61
CUSTOM CALLING AND ANNOUNCEMENT SERVICES (1A VOICE STORAGE SYSTEM) 821–39
CUSTOMER CONTROL OF NETWORK TELEPHONE SERVICES (CALLING CARD SERVICE; STORED PROGRAM CONTROLLED NETWORK) 1655–73
CUSTOMER REPAIR DATA MANAGEMENT SYSTEM (AUTOMATED REPAIR SERVICE BUREAU) 1131–51
CUSTOMER-REPORTED TELEPHONE-SERVICE TROUBLES (TRACKING AND REPAIRING; AUTOMATED REPAIR SERVICE BUREAU) 1165–76
CUSTOMER-SYSTEM INTERACTION (CALLING CARD SERVICE HUMAN FACTORS STUDIES; STORED PROGRAM CONTROLLED NETWORK) 1715–35

CUSTOM-INTEGRATED CIRCUITS FOR DIGITAL TERMINALS (D4 DIGITAL CHANNEL BANK FAMILY) 2791–813

D

Dale, O. B. 1235–56
DATA ACCESS (HUMAN FACTORS IN) 2487–509
DATABASE ADMINISTRATION (No. 10A REMOTE SWITCHING SYSTEM) 491–524
DATABASE ADMINISTRATION SYSTEM
(Architecture and Database Design; Stored Program Controlled Network) 1779–97
(Architecture and Design Issues) 2439–58
(Overall Description and Operational Characteristics; Stored Program Controlled Network) 1759–77
DATABASE (DIRECTED HYPERGRAPH; MODEL FOR THE LOCAL LOOP TELEPHONE PLANT) 2529–54
DATABASE FILE SYSTEM FOR THE *UNIX** OPERATING SYSTEM (STRUCTURE OF A) 2387–405
DATABASE INTEGRITY (No. 10A REMOTE SWITCHING SYSTEM) 491–524
DATABASE MANAGEMENT SYSTEM
(DBM-2 Production; Design and Implementation of a) 2511–28
For No. 5 ESS (Real-Time) 2423–37
To Support Logical Subnetworks (Implementation of a Distributed) 2459–74
DATABASES (MAKING *UNIX* OPERATING SYSTEMS SAFE FOR) 2407–22
DATABASE SYSTEM (AUTOMATED REPAIR SERVICE BUREAU) 1131–51
DATABASE WORK AT BELL LABORATORIES 2383–5
Database Systems:
Acronyms and Abbreviations 2597–8
Database Administration System—Architecture and Design Issues 2439–58
Database Work at Bell Laboratories 2383–5
Design and Implementation of a Production Database Management System (DBM-2) 2511–28
Design of a Prototype Videotex System 2475–86
Directed Hypergraph Database: A Model for the Local Loop Telephone Plant (A) 2529–54
Human Factors in Data Access 2487–509
Implementation of a Distributed Database Management System to Support Logical Subnetworks 2459–74
Intelligent Store: A Content-Addressable Page Manager (The) 2567–96
Issues in the Design of a Distributed Record Management System 2555–36
Making UNIX *Operating Systems Safe for Databases* 2407–22
Real-Time Database Management System for No. 5 ESS (A) 2423–37
Structure of a Database File System for the UNIX *Operating System* 2387–405
DATA-HANDLING SYSTEM WITH MULTIPLE SOURCES (STOCHASTIC THEORY OF A) 1871–94
DATA LINK MESSAGE HANDLING (No. 10A REMOTE SWTICHING SYSTEM) 565–96
DATA LINK (No. 10A REMOTE SWITCHING SYSTEM) 419–50
*Dataphone** DIGITAL SERVICE (DIGITAL DATA SYSTEM CHANNELS TO SUPPORT) 2703–20
DATAPORT CHANNEL UNITS
For Digital Data System 56-kb/s Rate (D4 Digital Channel Bank Family) 2741–56
For Digital Data System Subrates (D4 Digital Channel Bank Family) 2721–40
DATAPORT (DIGITAL ACCESS THROUGH D4) 2703–20
DATA TRANSMISSION ON THE PHASE OF SPEECH SIGNALS 2947–70
Davis, E. A. 1637–54
DAY-TO-DAY LOAD VARIATION ON TRUNK GROUP BLOCKING (EFFECTS OF) 123–35
DBAS *See* DATABASE ADMINISTRATION SYSTEM
DBMS *See* DATABASE MANAGEMENT SYSTEM
DBM-2 PRODUCTION DATABASE MANAGEMENT SYSTEM (DESIGN AND IMPLEMENTATION OF A) 2511–28
DC POWER (D4 CHANNEL BANK) 2611–64
Delatore, J. P. 1759–77
De Loach, B. C. 1359–65
DELTA MODULATION (MULTISTAGE) WITH RC-SHAPED GAUSSIAN INPUT SIGNALS (PEAK SIGNAL-TO-NOISE RATIO FORMULAS FOR) 347–62
DESCRIPTION AND OPERATIONAL CHARACTERISTICS OF CALLING CARD SERVICE (STORED PROGRAM CONTROLLED NETWORK) 1655–73
DESCRIPTION AND OPERATIONAL CHARACTERISTICS OF DATA BASE ADMINISTRA-

* UNIX is a trademark of Bell Laboratories.

* Service mark of AT&T.

TION SYSTEM (STORED PROGRAM CONTROLLED NETWORK) 1759–77
Description of Fasnet—A Unidirectional Local-Area Communications Network 1413–40
Description of the Bell Laboratories Scanned Acoustic Microscope (A) 2167–83
DESIGN AND DEVELOPMENT OF ON-LINE DOCUMENTATION FOR A MINICOMPUTER-BASED MANAGEMENT INFORMATION SYSTEM (AUTOMATED REPAIR SERVICE BUREAU) 1313–23
DESIGN AND IMPLEMENTATION OF A PRODUCTION DATABASE MANAGEMENT SYSTEM (DBM-2) 2511–28
DESIGN AND SIMULATION STUDIES OF DIGITAL SUBSCRIBER LINES 1003–77
DESIGN ISSUES AND ARCHITECTURE (DATABASE ADMINISTRATION SYSTEM) 2439–58
DESIGN OF A DISTRIBUTED RECORD MANAGEMENT SYSTEM (ISSUES IN THE) 2555–66
DESIGN OF A PROTOTYPE VIDEOTEX SYSTEM 2475–86
Design of Recovery Strategies for a Fault-Tolerant No. 4 Electronic Switching System 3019–40
DESIGN TECHNIQUES (HUMAN PERFORMANCE; AUTOMATED REPAIR SERVICE BUREAU) 1293–9
Detection of Long Error Bursts During Transmission of Video Signals (The) 1911–7
D4 AND *SLC*™-96* SUBSCRIBER LOOP CARRIER SYSTEM TERMINALS (PHYSICAL DESIGN OF; D4 DIGITAL CHANNEL BANK FAMILY) 2757–90
D4 Digital Channel Bank Family:
Acronyms and Abbreviations 2835–8
Channel Bank (The) 2611–64
Custom-Integrated Circuits for Digital Terminals 2791–813
Dataport—Channel Units for Digital Data System 56-kb/s Rate 2741–56
Dataport—Channel Units for Digital Data System Subrates 2721–40
Dataport—Digital Access Through D4 2703–20
Digital Terminal Physical Design 2757–90
Maintenance Bank (The) 2665–76
Overview 2607–10
SLC™*-96 System (The)* 2677–702
Thin-Film Dual Active Filter for Pulse Code Modulation Systems 2815–34
DIAGNOSTICS IN OPTICAL TELECOMMUNICATIONS (VIDEO COLORIZATION) 267–82
Dickert, L. S. 1153–63
DIFFERENTIAL PULSE CODE MODULATION *See* DPCM
DIFFUSION (OH) IN OPTICAL-FIBER CORES (MEASUREMENTS OF) 283–93
DIGITAL ACCESS THROUGH D4 (DATAPORT) 2703–20
DIGITAL COMMUNICATION CHANNELS (DETECTION OF LONG ERROR BURSTS IN) 1911–7
DIGITAL DATA SYSTEM 56-KB/S RATE (DATAPORT CHANNEL UNITS FOR; D4 DIGITAL CHANNEL BANK FAMILY) 2741–56
DIGITAL DATA SYSTEM SUBRATES (DATAPORT CHANNEL UNITS FOR; D4 DIGITAL CHANNEL BANK FAMILY) 2721–40
DIGITAL DATA SYSTEM (USE OF DATAPORT CHANNEL UNITS IN) 2703–20
DIGITAL DATA TRANSMISSION OVER EXISTING LOOP PLANT FACILITIES 1003–77
DIGITAL FACILITY INTERFACES (D4 CHANNEL BANK) 2611–64
DIGITAL LOOP CARRIER (FEEDER PLANNING METHODS FOR) 2129–41
DIGITALLY IMPLEMENTED, FRACTIONALLY SPACED ADAPTIVE EQUALIZER (TAP-LEAKAGE ALGORITHM FOR STABLE OPERATION OF A) 1817–39
DIGITAL NETWORKS (LIGHTGUIDE; FAIL-SAFE NODES FOR) 247–56
DIGITAL OPTICAL SWITCHING AND LOGIC ELEMENTS (PHYSICAL LIMITS OF) 1975–93
DIGITAL RADIO SYSTEMS (STATISTICAL MODEL FOR MULTIPATH FADING ON) 2185–219
DIGITAL SIGNAL ACCESS (DATAPORT) 2703–20
DIGITAL SIGNAL PROCESSOR *See* DSP
DIGITAL SPEECH CODER (9.6-KB/S) 2263–88
DIGITAL SUBSCRIBER CARRIER SYSTEM (*SLC*™-96; D4 DIGITAL CHANNEL BANK FAMILY) 2677–702
DIGITAL SUBSCRIBER LINES (SIMULATION AND DESIGN STUDIES OF) 1003–77
DIGITAL TERMINAL PHYSICAL DESIGN (D4 DIGITAL CHANNEL BANK FAMILY) 2757–90
DIGITAL TERMINALS (CUSTOM-INTEGRATED CIRCUITS FOR; D4 DIGITAL CHANNEL BANK FAMILY) 2791–813
DIGITAL TRANSMISSION OF TELEVISION PICTURES (ADAPTIVE INTERFRAME DPCM ENCODING FOR) 747–64

* *SLC* is a trademark of Western Electric.

DIRECTED HYPERGRAPH DATABASE (MODEL FOR THE LOCAL LOOP TELEPHONE PLANT) 2529–54

DIRECT-SIGNALING MESSAGES IN THE CCIS NETWORK (ROUTING OF; STORED PROGRAM CONTROLLED NETWORK) 1599–609

DISPLAYS OF COMBINED PRESENTATIONS OF ACOUSTIC AND ARTICULATORY INFORMATION (GRAPHIC) 799–810

DISTRIBUTED DATABASE MANAGEMENT SYSTEM TO SUPPORT LOGICAL SUBNETWORKS (IMPLEMENTATION OF A) 2459–74

DISTRIBUTED MICROPROCESSOR APPLICATION OF MECHANIZED LOOP TESTING SYSTEM (AUTOMATED REPAIR SERVICE BUREAU) 1257–74

DISTRIBUTED PROCESSING (SPECIAL-PURPOSE COMPUTER FOR LOGIC SIMULATION USING) 2873–909

DISTRIBUTED RECORD MANAGEMENT SYSTEM (ISSUES IN THE DESIGN OF A) 2555–66

Distribution Function and Moments of Power Sums With Log-Normal Components (On the) 1441–62

DISTRIBUTION OF A RANDOM VARIABLE (COMPUTING VIA GAUSSIAN QUADRATURE RULES) 2245–61

DLC *See* DIGITAL LOOP CARRIER

DOCUMENTATION (ON-LINE—MECHANIZING DEVELOPMENT, DELIVERY, AND USE; AUTOMATED REPAIR SERVICE BUREAU) 1313–23

DOUBLE-CLAD SINGLE-MODE FIBER (EXPERIMENTAL VERIFICATION OF ULTRA-WIDE BANDWIDTH SPECTRA IN) 385–90

DPCM-CODED PICTURES (IMPROVED RECONSTRUCTION OF) 969–79

DPCM CODER (ADAPTIVE INTER-INTRAFRAME) 747–64

DRAND48 (GOOD, PSEUDO-RANDOM NUMBER GENERATOR; DESIGN, TESTING, AND USE OF) 2053–63

Driscoll, J. J. 491–524

DSP SPEECH CODER (9.6-KB/S) 2263–88

Du, D. Z. 1965–73

Dumais, S. T. 2487–509

Dunbar, B. J. 2741–56

Dunkleberger, L. N. 931–3

DYNAMIC TIME WARPING ALGORITHMS FOR ISOLATED WORD RECOGNITION (SOME FACTORS AFFECTING PERFORMANCE OF) 363–73

Dynes, R. C. 2167–83

E

ECONOMIC EVALUATION (AUTOMATED REPAIR SERVICE BUREAU) 1325–44

Effects of Day-to-Day Load Variation on Trunk Group Blocking 123–35

Eigen, D. J. 1715–35

800 SERVICE
(Role of No. 1/1A ESS in; Stored Program Controlled Network) 1611–36
Using Stored Program Controlled Network Capability 1737–44

Electromagnetic Propagation in Homogeneous Media with Hermitian Permeability and Permittivity 935–48

ELECTRONICS CABINETS (OUTDOOR; APPROXIMATE THERMAL MODEL FOR) 227–46

ELECTRONIC SWITCHING SYSTEM (FAULT-TOLERANT NO. 4; DESIGN OF RECOVERY STRATEGIES FOR A) 3019–40

ELECTRONIC SWITCHING SYSTEM *See also* ESS

EMBEDDED-WORD TRAINING FOR CONNECTED-WORD RECOGNITION 981–1001

END USER (HUMAN PERFORMANCE ENGINEERING CONSIDERATIONS FOR VERY-LARGE-SCALE COMPUTER-BASED SYSTEMS) 765–97

ENERGY IN LPC-BASED RECOGNITION OF ISOLATED WORDS (USE OF) 2971–87

Eng, K. Y. 2917–27

Equalization of Multimode Optical Fiber Systems 1367–88

EQUALIZER (DIGITALLY IMPLEMENTED, FRACTIONALLY SPACED ADAPTIVE; TAP-LEAKAGE ALGORITHM FOR STABLE OPERATION OF A) 1817–39

ERROR BURST DETECTION DURING TRANSMISSION OF VIDEO SIGNALS 1911–7

Error Probability of Partial-Response Continuous-Phase Modulation with Coherent MSK-Type Receiver, Diversity, and Slow Rayleigh Fading in Gaussian Noise 1933–63

ESS (No. 5; REAL-TIME DATABASE MANAGEMENT SYSTEM FOR) 2423–37

ESS (No. 1/1A; STORED PROGRAM CONTROLLED NETWORK CAPABILITIES AND SIGNALING ARCHITECTURE) 1611–36

ESS *See also* ELECTRONIC SWITCHING SYSTEM

ESTIMATION USING THE LATTICE STRUCTURE (FAST RECURSIVE) 97–115

EVALUATION AND ANALYSIS OF TROUBLE REPORTS (AUTOMATED REPAIR SERVICE BUREAU) 1153–63

Evaluation of Private Networks 2143–66

Evaluation Plan Using Adaptive Kalman Filtering (Quality) 2081–107
Evolution of Automated Repair Service Bureau 1097–1114
Evolution of the Stored Program Controlled Network 1579–88
Expansions for Nonlinear Systems 159–99
Expansions for Time-Varying Nonlinear Systems (Volterra) 201–25
Experimental Verification of Ultra-Wide Bandwidth Spectra in Double-Clad Single-Mode Fiber 385–90
External Markov Chains (Some) 2065–80

F

Fabrication and Properties of Single-Mode Optical Fiber Exhibiting Low Dispersion, Low Loss, and Tight Mode Confinement Simultaneously 262–6
Factors Affecting Performance of Dynamic Time Warping Algorithms for Isolated Word Recognition 363–73
Fading (Multipath) on a Space-Diversity Radio Channel (Statistical Model of) 2185–219
Fail-Safe Nodes for Lightguide Digital Networks 247–56
Fasnet (Unidirectional Local-Area Communications Network; Description of) 1413–40
Fast Recursive Estimation Using the Lattice Structure 97–115
Fault-Tolerant No. 4 Electronic Switching System (Design of Recovery Strategies for a) 3019–40
Favale, A. G. 2757–90
Feeder Planning Methods for Digital Loop Carrier 2129–41
Fiber
(Double-Clad Single-Mode; Experimental Verification of Ultra-Wide Bandwidth Spectra in) 385–90
(Single-Mode Optical) With Low Dispersion, Low Loss, and Tight Mode Confinement (Fabrication and Properties of) 262–6
Fiber Cores (Optical; Measurements of OH Diffusion in) 283–93
Fiber Systems (Considerations for Single-Mode) 1919–31
Field-Tracking Studies (Planning and Conducting) 2333–64
56-kb/s Dataport Channel Units (D4 Digital Channel Bank Family) 2741–56
Filtering (Adaptive Kalman; Quality Evaluation Plan Using) 2081–107
Filter Models (Kalman) for Network Forecasting 1–14
Filter (Thin-Film Dual Active) for Pulse Code Modulation Systems (D4 Digital Channel Bank Family) 2815–34
Filters (Parasitic Insensitive, Biphase Switched Capacitor) Realized With One Operational Amplifier Per Pole Pair 685–707
Firestopped Cable Bundle (Theoretical Model of Transient Heat Transfer in a) 2313–31
Firmware (Remote Terminal; No. 10A Remote Switching System) 565–96
Fisher, J. S. 2815–34
Fleischer, P. E. 685–707
Flores, C. 1413–40
Forecasting
(Network; Kalman Filter Models for) 1–14
(Traffic Load; Robust Sequential Projection Algorithm for) 15–38
Forecasting Algorithm for Trunk Demand Servicing (Short-Term) 67–96
Forecasting Special-Services Demand (Development of Sequential Projection Algorithm Based on a Linear Kalman Filter for) 39–66
Forecasts of Yearly Peak Trunk Group Traffic Loads (Use of Sequential Projection Algorithm for) 15–38
Formulae (Moment) for a Class of Mixed Multi-Job-Type Queueing Networks 709–45
Forrest, S. R. 2929–46
Fractionally Spaced, Digitally Implemented Adaptive Equalizer (Tap-Leakage Algorithm for Stable Operation of a) 1817–39
Fractional Rate Change Circuits (General Class of Zero- or Minimum-Delay) 327–46
Frame Layout Partitioning and Growth (No. 10A Remote Switching System) 525–64
Franklin, C. M. 1131–51
Fredericks, A. A. 295–325
Freimanis, L. 451–89
Frequency-Hopped MFSK System for Mobile Radio (Multitone) 3007–17
Frequency-Hopped Single-Sideband Modulation for Mobile Radio 1389–411
Frerking, R. F. 1599–609
Front-End System (Automated Repair Service Bureau) 1165–76

Fujimura, O. 799–810
Fuller, D. R. 565–96
Fulton, T. A. 931–3
Functional Overview (D4 Channel Bank) 2611–64
Funk, C. J. 1637–54
Furnas, G. W. 2487–509

G

Ganesan, A. 685–707
Gates, G. W. 863–83
Gaunt, W. B., Jr. 2611–64
Gaussian Input Signals (RC-Shaped; Peak Signal-to-Noise Ratio Formulas for Multistage Delta Modulation With) 347–62
Gaussian Inputs (Memoryless Nonlinearities With; Elementary Results) 1519–25
Gaussian Noise (Error Probability of Partial-Response Continuous-Phase Modulation With Coherent MSK-Type Receiver, Diversity, and Slow Rayleigh Fading in) 1933–63
Gaussian Quadrature Rules for Computing the Distribution of a Random Variable 2245–61
Gauthier, R. F. 1301–12
Gawron, L. J. 1611–36
General Class of Zero- or Minimum-Delay Fractional Rate Change Circuits (A) 327–46
Generic Network Plan (Stored Program Controlled Network) 1589–98
*GI/G/*1 Queues (Transient; Approximate Mean Waiting Times in) 2003–22
*GI/G/*1 Queueing System (Class of Approximations for the Waiting Time Distribution in a) 295–325
Gitlin, R. D. 375, 1817–39
Glushko, R. J. 1313–23
Goguen, N. H. 2475–86
Goldstein, A. J. 2529–54
Goldstein, R. M. 2791–813
Gomez, L. M. 2487–509
Good, 48-Bit, Pseudo-Random Number Generator (Implementing and Testing New Versions of a) 2053–63
Graphic Displays of Combined Presentations of Acoustic and Articulatory Information 799–810
Graph Theory Application to the Solution of a Nonlinear Optimal Assignment Problem 1863–70
Green, J. H. 2611–64
Grimado, P. B. 2313–31
Gupta, D. V. 2721–40, 2741–56

H

Haas, C. W. 1745–57
Hall, J. R. 2757–90
Hanson, D. R. 565–96
Hardware Design Plan (No. 10A Remote Switching System) 391–417
Hardware Implementation for Subrate Dataports 2721–40
Hardware, Software, and Signaling Implementation for Calling Card Service (TSPS; Stored Program Controlled Network) 1675–714
Harris, W. A. 1301–12
Hartwell, W. T. 815–9
Haskell, B. G. 2917–27
Heat Transfer (Transient) in a Fire-stopped Cable Bundle (Theoretical Model of) 2313–31
Heffes, H. 709–45
Henig, F. H. 1165–76
Hermitian Permeability and Permittivity (Electromagnetic Propagation in Homogeneous Media With) 935–48
Heyman, D. P. 2023–51
Hierarchical Telephone Networks (Application of Assignment Problem in Design of) 1863–70
High-Speed Dataport Channel Units 2741–56
History and Perspective of Network Voice Storage (1A Voice Storage System) 811-3
Holtman, J. P. 1197–208
Homing in Telephone Networks (Application of Assignment Problem in) 1863–70
Homogeneous Media With Hermitian Permeability and Permittivity (Electromagnetic Propagation in) 935–48
Horing, S. 1579–88
Horvath, M. P. 2741–56
Host Data Link System (No. 10A Remote Switching System) 391–417
Host Software (No. 10A Remote Switching System) 491–524
Hot Spare Monitoring (Use of D4 Maintenance Bank for) 2665–76
Huang, C. P. 2439–58
Human Factors in Data Access 2487–509
Human Factors Studies (Calling Card Service; Stored Program Controlled Network) 1715–35

HUMAN INFORMATION PROCESSING (RELEVANT FACTS AND PRINCIPLES FROM EXPERIMENTAL STUDIES OF) 2487–509
HUMAN PERFORMANCE ANALYSIS AND DESIGN IN PLANNING THE AUTOMATED REPAIR SERVICE BUREAU (TWO EXAMPLES OF) 1301–12
HUMAN PERFORMANCE DESIGN TECHNIQUES (AUTOMATED REPAIR SERVICE BUREAU) 1293–9
Human Performance Engineering Considerations for Very Large Computer-Based Systems: The End User) 765–97
Hwang, F. K. 1965–73
HYPERGRAPH DATABASE (DIRECTED; MODEL FOR THE LOCAL LOOP TELEPHONE PLANT) 2529–54

I

IMPLEMENTATION AND DESIGN OF A PRODUCTION DATABASE MANAGEMENT SYSTEM (DBM-2) 2511–28
IMPLEMENTATION OF A DISTRIBUTED DATABASE MANAGEMENT SYSTEM TO SUPPORT LOGICAL SUBNETWORKS 2459–74
IMPLEMENTATION OF DATAPORT IN D4 2703–20
Implementing and Testing New Versions of a Good, 48-Bit, Pseudo-Random Number Generator 2053–63
Improved Model for Isolated Word Recognition (An) 2289–312
Improved Reconstruction of DPCM-Coded Pictures 969–79
Improved Training Procedure for Connected-Digit Recognition (An) 981–1001
INFORMATION-SERVICES SYSTEM (VIDEOTEX) 2475–86
INSTALLATION (NO. 10A REMOTE SWITCHING SYSTEM) 391–417
Integral Representations and Asymptotic Expansions for Closed Markovian Queuing Networks: Normal Usage 661–83
INTEGRATED VOICE/DATA LOCAL NETWORKS (VARIATION ON CSMA/CD THAT YIELDS MOVABLE TDM SLOTS IN) 1527–50
INTELLIGENT STORE (A CONTENT-ADDRESSABLE PAGE MANAGER) 2567–96
INTERACTIVE VIDEOTEX SYSTEM (DESIGN OF A PROTOTYPE) 2475–86
INTERCONNECTION (NO. 10A REMOTE SWITCHING SYSTEM) 391–417
INTERCONNECTION TECHNOLOGY SELECTION (NO. 10A REMOTE SWITCHING SYSTEM) 525–64
INTRA-INTERFRAME DPCM CODER (ADAPTIVE) 747–64
Inversion Technique for the Laplace Transform (An) 1995–2002
Ionescu-Graff, A. 39–66
ISOLATED WORD RECOGNITION
(Improved Model for) 2289–312
(LPC-Based; Use of Energy in) 2971–87
(Some Factors Affecting Performance of Dynamic Time Warping Algorithms for) 363–73
Isolated Word Recognition for Large Vocabularies 2989–3005

J

Jagerman, D. L. 1995–2002, 2003–22
Janac, K. 1911–7
Jang, S. J. 385–90
Jeschke, C. E. 525–64
Johnston, J. D. 2263–88
Josephson Parallel Multiplier (A) 931–3

K

KALMAN FILTER
Estimation Techniques Used in Seasonal Load Forecasting Algorithm 67–96
(Linear Two-State; Used in Sequential Projection Algorithm) 15–38
Used in Sequential Projection Algorithm for Special-Services Demand 39–66
KALMAN FILTERING (ADAPTIVE; QUALITY EVALUATION PLAN USING) 2081–107
Kalman Filter Models for Network Forecasting 1–14
Kashper, A. 123–35
Kasper, B. L. 1367–88
Kaufman, R. L. 2143–66
Kawas-Kaleh, G. 375
Keeve, F. H. 597–625
Keilin, W. J. 2989–3005
Kennedy, J. C. 885–911
Kester, A. J. M. 2143–66
Klockow, D. H. 2757–90
Kodrich, L. E. 2129–41
Kranenborg, A. E. 525–64
Kranzmann, R. F. 863–83

L

Laker, K. R. 685–707
Landauer, T. K. 2487–509
Landry, J. E. 2611–64
Lang, J. J. 2607–10
LAPLACE TRANSFORM (INVERSION TECHNIQUE FOR) 1995–2002

Large Primary Queue (Traffic Overflow System With) 1487–517
Large-Scale Computer-Based Systems (Human Performance Engineering Considerations for) 765–97
Large Vocabularies (Isolated Word Recognition for) 2989–3005
Lattice Structure (Fast Recursive Estimation Using the) 97–115
Lawry, R. B. 1359–65
Lawser, J. J. 1589–98
Lax, F. M. 491–524
Lazay, P. D. 262–6
LeCronier, R. E. 1589–98
Lee, G. S. 1463–86
Leggett, J. D. 2791–813
Leonard, G. H. 1293–9
Letter to the Editor 375, 2365
Levendel, Y. H. 2873–909
Liebesman, B. S. 137–57
Lightguide Communication (Wideband, Bidirectional) With an Optically Powered Audio Channel 1359–65
Lightguide Digital Networks (Fail-Safe Nodes for) 247–56
Limb, J. O. 1413–40
Limit of the Blocking As Offered Load Decreases With Fixed Peakedness (The) 2911–6
Linderman, J. P. 2555–66
Linear Approximation of Multivariate Functions (Piecewise) 1463–86
Line Interface (No. 10A Remote Switching System) 391–417, 451–89
Line Maintenance (No. 10A Remote Switching System) 597–625
Line Supervision Processing (No. 10A Remote Switching System) 565–96
LMOS *See* Loop Maintenance Operations System
Load Variation (Day-to-Day; Effects on Trunk Group Blocking) 123–35
Local-Area Unidirectional Communications Network (Description of Fasnet) 1413–40
Local Loop Telephone Plant Model (Directed Hypergraph Database) 2529–54
Local Networks (Integrated Voice/Data; Variation on CSMA/CD That Yields Movable TDM Slots in) 1527–50
Logical Subnetworks (Implementation of a Distributed Database Management System to Support) 2459–74
Logic Elements and Digital Optical Switching (Physical Limits of) 1975–93
Logic Simulation Using Distributed Processing (Special-Purpose Computer for) 2873–909
Log-Normal Components (Distribution Function and Moments of Power Sums With) 1441–62
Long Error Bursts During Transmission of Video Signals (Detection of) 1911–7
Long-Wavelength Optical Communications (Sensitivity of Avalanche Photodetector Receivers for) 2929–46
Loop Carrier Features (*SLC*™-96 System) 2677–702
Loop Maintenance Operations System
  Context-Sensitive Switch (Automated Repair Service Bureau) 1197–208
  Data Base (Automated Repair Service Bureau) 1131–51
  Front-End Computer (Automated Repair Service Bureau) 1165–76
  Software Tools and Components (Automated Repair Service Bureau) 1177–95
Loop Plant Facilities (Existing; Digital Data Transmission Over) 1003–77
Loop Testing Strategies and Techniques (Mechanized; Automated Repair Service Bureau) 1209–34
Loop Testing System Design (Mechanized; Automated Repair Service Bureau) 1235–56
Loop Testing System (Second-Generation Mechanized) Distributed Microprocessor Application (Automated Repair Service Bureau) 1257–74
Low-Elevation-Angle Propagation Effects on COMSTAR Satellite Signals 1567–72
Low-Level Service Circuits (No. 10A Remote Switching System) 451–89
LPC-Based Recognition of Isolated Words (Use of Energy in) 2971–87
Luber, D. B. 2129–41
Lueders, S. J. 1611–36
Lurtz, J. W. 1759–77

M

Magnetic Bubble Memories (Used to Provide Recorded Announcements) 1841–62
Mahn, H. H. 2665–76
Maintenance Bank (D4 Digital Channel Bank Family) 2665–76
Maintenance (No. 10A Remote Switching System) 391–417

MAINTENANCE PANEL (No. 10A REMOTE SWITCHING SYSTEM) 419–50
MAINTENANCE RECOVERY STRATEGIES IN THE No. 4 ELECTRONIC SWITCHING SYSTEM 3019–40
MAINTENANCE, RELIABILITY, AND OFFICE ENGINEERING (1A VOICE STORAGE SYSTEM) 885–911
MAINTENANCE RESPONSIBILITIES (No. 10A REMOTE SWITCHING SYSTEM) 597–625
MAKING *UNIX* OPERATING SYSTEMS SAFE FOR DATABASES 2407–22
Malek-Zavarei, M. 1863–70
Mammel, W. L. 385–90
MAN-MACHINE COMMUNICATION (DATABASE SYSTEMS) 2487–509
MAN/MACHINE INTERFACE
  Analysis and Design (Automated Repair Service Bureau) 1301–12
  Design (Automated Repair Service Bureau) 1293–9
  (Human Performance Engineering Considerations for Very-Large-Scale Computer-Based Systems) 765–97
Marcus, M. J. 2365
MARKOV CHAINS (SOME EXTERNAL) 2065–50
MARKOVIAN QUEUEING NETWORKS
  (Closed; Intergral Representations and Asymptotic Expansions—Normal Usage) 661–83
  (Overview of PANACEA, Software Package for Analysis of) 2849–72
Martersteck, K. E. 1575–7
Martin, J. C. 597–625
Martin, R. L. 1115–29
Mashey, J. R. 1275–91
Matrix Analysis of Mildly Nonlinear, Multiple-Input, Multiple-Output Systems With Memory 2221–43
Maxemchuk, N. F. 1527–50
Mazo, J. E. 2065–80
McGrew, M. A. 1599–609
McKenna, J. 661–83
McRoberts, T. L. 597–625
Meadors, H. C., Jr. 1817–39
MEAN WAITING TIMES IN TRANSIENT *GI/G/1* QUEUES (APPROXIMATE) 2003–22
Measurements of OH Diffusion in Optical-Fiber Cores 283–93
MECHANIZED LOOP TESTING
  Design (Automated Repair Service Bureau) 1235–56
  Strategies and Techniques (Automated Repair Service Bureau) 1209–34
  System (Second-Generation) Distributed Microprocessor Application (Automated Repair Service Bureau) 1257–74
MECHANIZED TRUNK FORECASTING SYSTEMS (INCLUSION OF SEQUENTIAL PROJECTION ALGORITHM IN) 15–38
MEMORIES (MAGNETIC BUBBLE; USED TO PROVIDE RECORDED ANNOUNCEMENTS) 1841–62
MEMORY IN No. 10A REMOTE SWITCHING SYSTEM 419–50
Memoryless Nonlinearities With Gaussian Inputs: Elementary Results 1519–25
Menard, J. Z. 1579–88
Menon, P. R. 2873–909
MESSAGE CIRCUIT USAGE (NETWORK PLANNING AND PROVISIONING FOR) 1–14
MESSAGE HANDLING (No. 10A REMOTE SWITCHING SYSTEM) 491–524
MESSAGE RECORDING (1A VOICE STORAGE SYSTEM) 821–39
MESSAGE ROUTING (DIRECT-SIGNAL) IN THE CCIS NETWORK (STORED PROGRAM CONTROLLED NETWORK) 1599–609
MESSAGE STORING AND FORWARDING (1A VOICE STORAGE SYSTEM) 815–9
METALLIC ACCESS CONTROL (No. 10A REMOTE SWITCHING SYSTEM) 565–96
METAL-OXIDE-SEMICONDUCTOR VERY-LARGE-SCALE INTEGRATION CIRCUITS (CUSTOM; D4 DIGITAL CHANNEL BANK FAMILY) 2791–813
Meyers, M. H. 2245–61
MFSK SYSTEM FOR MOBILE RADIO (MULTITONE FREQUENCY-HOPPED) 3007–17
MICROPROCESSOR APPLICATION OF MECHANIZED LOOP TESTING SYSTEM (DISTRIBUTED; AUTOMATED REPAIR SERVICE BUREAU) 1257–74
MILDLY NONLINEAR, MULTIPLE-INPUT, MULTIPLE-OUTPUT SYSTEMS WITH MEMORY (MATRIX ANALYSIS OF) 2221–43
MILITARY STANDARD 105D SAMPLING SYSTEM (CONTINUING EVOLUTION OF) 137–57
Miller, J. E. 799–810
Miller, R. C. 1359–65
MINIMUM-COST FLOWS IN CAPACITATED NETWORKS WITH APPLICATIONS (PRIMAL ALGORITHM FOR FINDING) 949–68
MINIMUM- OR ZERO-DELAY FRACTIONAL RATE CHANGE CIRCUITS (GENERAL CLASS OF) 327–46
MINIMUM SHIFT KEYING *See* MSK
Mitchell, W. J. 2129–41
Mitra, D. 661–83, 1871–94, 2849–72
MIXED MULTI-JOB-TYPE QUEUEING NETWORKS (MOMENT FORMULAE FOR A CLASS OF) 709–45
MOBILE RADIO

(Frequency-Hopped Single-Sideband Modulation for) 1389–411
(Multitone Frequency-Hopped MFSK System for) 3007–17
Model for Isolated Word Recognition (Improved) 2289–312
Model for the Local Loop Telephone Plant (Directed Hypergraph Database) 2529–54
Models for Network Forecasting (Kalman Filter) 1–14
Model (Theoretical) of Transient Heat Transfer in a Firestopped Cable Bundle 2313–31
Modulation (Frequency-Hopped Single-Sideband) for Mobile Radio 1389–411
Moeller, K. L. 1611–36
Moment Formulae for a Class of Mixed Multi-Job-Type Queueing Networks 709–45
Moments and Distribution Function of Power Sums With Log-Normal Components 1441–62
Monitoring System for D4 Common Plug-In Units (Use of D4 Maintenance Bank as) 2665–76
Monma, C. L. 949–68
Moreland, J. P. 15–38
Morrison, J. A. 1487–517
Motion-Compensated Television Coders (Spatial Subsampling in) 1895–910
Movable TDM Slots in Integrated Voice/Data Local Networks (Variation on CSMA/CD That Yields) 1527–50
Mowery, G. L. 2791–813
MSK-Type Receiver (Coherent), Diversity, and Slow Rayleigh Fading in Gaussian Noise (Error Probability of Partial-Response Continuous-Phase Modulation With) 1933–63
Multichannel Communication Systems (Matrix Analysis for) 2221–43
Multi-Job-Type Queueing Networks (Mixed; Moment Formulae for a Class of) 709–45
Multilevel Frequency Shift Keying *See* MFSK
Multimode Optical Fiber Systems (Equalization of) 1367–88
Multipath Fading on a Space-Diversity Radio Channel (Statistical Model of) 2185–219
Multiple-Access Protocol (Analysis of the Carrier-Sense) 2023–51
Multiple-Input, Multiple-Output Systems With Memory (Mildly Nonlinear; Matrix Analysis of) 2221–43
Multiple-Source Data-Handling System (Stochastic Theory of a) 1871–94
Multiplier (Josephson Parallel) 931–3
Multistage Delta Modulation With RC-Shaped Gaussian Input Signals (Peak Signal-to-Noise Ratio Formulas for) 347–62
Multitone Frequency-Hopped MFSK System for Mobile Radio 3007–17
Multivariate Functions (Piecewise Linear Approximation of) 1463–86

N

Narayanan, S. 2703–20
National Television System Committee Color TV Signal (Methods to Compress the Bandwidth of) 2917–27
Nationwide Network Services (New; Use of Stored Program Controlled Network in Introduction and Provision of) 1589–98
Neigh, J. L. 627–42
Netravali, A. N. 969–79, 1895–910
Network Capabilities and Signaling Architecture (Stored Program Controlled; No. 1/1A ESS) 1611–36
Network Capability (Stored Program Controlled; 800 Services Using) 1737–44, 1745–57
Network Forecasting (Kalman Filter Models for) 1–14
Network Load Variation 123–35
Network Performance (CCIS and Stored Program Controlled) 1637–54
Network Plan (Generic; Stored Program Controlled Network) 1589–98
Network Planning (Kalman Filter Model Used for) 1–14
Networks
(Capacitated; Primal Algorithm for Finding Minimum-Cost Flows in) 949–68
(Closed Markovian Queueing; Integral Representations and Asymptotic Expansions—Normal Usage) 661–83
(Integrated Voice/Data Local; Variation on CSMA/CD That Yields Movable TDM Slots in) 1527–50
(Lightguide Digital; Fail-Safe Nodes for) 247–56
(Moment Formulae for a Class of Mixed Multi-Job-Type Queueing) 709–45

(Private; Evaluation of) 2143–66
NETWORK VOICE STORAGE (PERSPECTIVE AND HISTORY, 1A VOICE STORAGE SYSTEM) 811–3
Ng, F. K. 2423–37
Nichols, R. K. 419–50
9.6-kb/s DSP Speech Coder (A) 2263–88
NONLINEARITIES WITH GAUSSIAN INPUTS (MEMORYLESS; ELEMENTARY RESULTS) 1519–25
NONLINEAR MULTIPORT NETWORKS (MATRIX ANALYSIS FOR) 2221–43
NONLINEAR OPTIMAL ASSIGNMENT PROBLEM (APPLICATION OF GRAPH THEORY TO THE SOLUTION OF A) 1863–70
NONLINEAR SYSTEMS
(EXPANSIONS FOR) 159–99
(TIME-VARYING; VOLTERRA EXPANSIONS FOR) 201–25
No. 5 ESS (REAL-TIME DATABASE MANAGEMENT SYSTEM FOR) 2423–37
No. 4 ELECTRONIC SWITCHING SYSTEM (FAULT-TOLERANT; DESIGN OF RECOVERY STRATEGIES FOR A) 3019–40
NUMBER GENERATOR (GOOD, 48-BIT PSEUDO-RANDOM; IMPLEMENTING AND TESTING NEW VERSIONS OF A) 2053–63
No. 1/1A ESS (STORED PROGRAM CONTROLLED NETWORK CAPABILITIES AND SIGNALING ARCHITECTURE) 1611–36
No. 10A Remote Switching System:
Acronyms and Abbreviations 643–6
Control-Complex Architecture and Circuit Design 419–50
Host Software 491–524
Peripheral Systems Architecture and Circuit Design 451–89
Physical Design 525–64
Remote Terminal Firmware 565–96
System Maintenance 597–625
System Overview 391–417
Transmission Plan 627–42
Nussbaum, E. 811–3

O

OFFERED LOAD DECREASE WITH FIXED PEAKEDNESS (LIMIT OF BLOCKING IN) 2911–6
OFFICE ENGINEERING, MAINTENANCE, AND RELIABILITY (1A VOICE STORAGE SYSTEM) 885–911
Ogawa, K. 1919–31
OH DIFFUSION IN OPTICAL-FIBER CORES (MEASUREMENTS OF) 283–93
Olson, J. W. 2677–702
1A Voice Storage System:
Acronyms and Abbreviations for Voice Storage System 913–4
Architecture and Physical Design 841–61
New Custom Calling Services 821–39
Office Engineering, Maintenance, and Reliability 885–911
Prologue 815–9
Software 863–83
Voice Storage in the Network—Perspective and History 811–3
ON-LINE DOCUMENTATION (MECHANIZING DEVELOPMENT, DELIVERY, AND USE; AUTOMATED REPAIR SERVICE BUREAU) 1313–23
OPERATING SYSTEM STRUCTURE (No. 10A REMOTE SWITCHING SYSTEM) 565–96
OPERATIONAL AMPLIFIER REDUCTION IN SWITCHED CAPACITOR FILTERS 685–707
OPERATIONAL CHARACTERISTICS AND DESCRIPTION OF CALLING CARD SERVICE (STORED PROGRAM CONTROLLED NETWORK) 1655–73
OPERATIONAL CHARACTERISTICS AND OVERALL DESCRIPTION OF DATA BASE ADMINISTRATION SYSTEM (STORED PROGRAM CONTROLLED NETWORK) 1759–77
OPERATOR-TYPE MODELS OF DYNAMIC NONLINEAR PHYSICAL SYSTEMS 159–99
OPTICAL COMMUNICATIONS (LONG-WAVELENGTH; SENSITIVITY OF AVALANCHE PHOTODETECTOR RECEIVERS FOR) 2929–46
OPTICAL COUPLERS (COMPONENTS OF FAIL-SAFE NODE IN LIGHTGUIDE DIGITAL NETWORKS) 247–56
OPTICAL-FIBER CORES (MEASUREMENTS OF OH DIFFUSION IN) 283–93
OPTICAL FIBER PREFORMS (VIDEO DIAGNOSTICS TO PROVIDE QUALITY CONTROL OF) 267–82
OPTICAL FIBER (SINGLE-MODE) WITH LOW DISPERSION, LOW LOSS, AND TIGHT MODE CONFINEMENT (FABRICATION AND PROPERTIES OF) 262–6
OPTICAL FIBER SYSTEMS (MULTIMODE; EQUALIZATION OF) 1367–88
OPTICALLY POWERED AUDIO CHANNEL FOR WIDEBAND, BIDIRECTIONAL LIGHTGUIDE COMMUNICATION 1359–65
OPTICAL PROPAGATION THROUGH ANISOTROPIC, GYROTROPIC HOMOGENEOUS MEDIA 935–48
OPTICAL REGENERATOR (COMPONENT OF FAIL-SAFE NODE IN LIGHTGUIDE DIGITAL NETWORKS) 247–56
OPTICAL SWITCHING (DIGITAL) AND LOGIC

ELEMENTS (PHYSICAL LIMITS OF) 1975–93
OPTICAL SWITCHING ELEMENTS (SPECIFIC APPLICATIONS OF) 1975–93
OPTICAL TELECOMMUNICATIONS (VIDEO COLORIZATION DIAGNOSTICS IN) 267–82
OPTIMAL ASSIGNMENT PROBLEM (NONLINEAR; APPLICATION OF GRAPH THEORY TO THE SOLUTION OF A) 1863–70
ORGANIZATION/ENVIRONMENT A CONSIDERATION IN DESIGN OF VERY-LARGE-SCALE COMPUTER-BASED SYSTEMS 765–97
OUTDOOR ELECTRONICS CABINETS (APPROXIMATE THERMAL MODEL FOR) 227–46
OUTSIDE PLANT MAINTENANCE (CABLE REPAIR ADMINISTRATIVE SYSTEM FOR; AUTOMATED REPAIR SERVICE BUREAU) 1275–91
OVERFLOW SYSTEM WITH A LARGE PRIMARY QUEUE (TRAFFIC) 1487–517
Overstreet, E. A. 1097–114, 1325–44
OVERVIEW
(D4 Digital Channel Bank Family) 2607–10
(No. 10A Remote Switching System) 391–417
(Stored Program Controlled Network) 1579–88
Overview of PANACEA, a Software Package for Analyzing Markovian Queueing Networks (An) 2849–72

P

PACKAGE FOR ANALYSIS OF NETWORKS OF ASYNCHRONOUS COMPUTERS WITH EXTENDED ASYMPTOTICS *See* PANACEA
Pack, C. D. 1–14
PAGE MANAGER (CONTENT-ADDRESSABLE; INTELLIGENT STORE) 2567–96
PANACEA (SOFTWARE PACKAGE FOR ANALYZING MARKOVIAN QUEUEING NETWORKS; OVERVIEW) 2849–72
Papers by Bell Laboratories Authors 119–21, 259–60, 379–81, 653–7, 923–8, 1083–91, 1555–64, 2117–24, 2373–9, 3047–9
PARALLEL CHANNEL GRAPHS (REGULAR SERIES; COMPARISONS ON BLOCKING PROBABILITIES FOR) 1965–73
PARALLEL MULTIPLIER (JOSEPHSON) 931–3
Parasitic Insensitive, Biphase Switched Capacitor Filters Realized with One Operational Amplifier Per Pole Pair 685–707
PARTIAL-RESPONSE CONTINUOUS-PHASE MODULATION WITH COHERENT MSK-TYPE RECEIVER, DIVERSITY, AND SLOW RAYLEIGH FADING IN GAUSSIAN NOISE (ERROR PROBABILITY OF) 1933–63
Patel, S. H. 2873–909
PCM CODING AND MULTIPLEXING (D4 CHANNEL BANK) 2611–64
Peak Signal-to-Noise Ratio Formulas for Multistage Delta Modulation with RC-Shaped Gaussian Input Signals 347–62
Pearson, A. D. 262–6
PERFORMANCE (CCIS AND STORED PROGRAM CONTROLLED NETWORK) 1637–54
PERFORMANCE OF DATAPORT 2703–20
PERFORMANCE OF DYNAMIC TIME WARPING ALGORITHMS FOR ISOLATED WORD RECOGNITION (FACTORS AFFECTING) 363–73
PERIPHERAL ACCESS (No. 10A REMOTE SWITCHING SYSTEM) 419–50
PERIPHERAL SYSTEMS ARCHITECTURE AND CIRCUIT DESIGN (No. 10A REMOTE SWITCHING SYSTEM) 451–89
PERIPHERAL UNIT CONTROLLER/DATA LINK MAINTENANCE (No. 10A REMOTE SWITCHING SYSTEM) 597–625
PERSONNEL SUBSYSTEM DEVELOPMENT (AUTOMATED REPAIR SERVICE BUREAU) 1293–9
PERSPECTIVE AND HISTORY OF NETWORK VOICE STORAGE (1A VOICE STORAGE SYSTEM) 811–3
Petersen, O. G. 2815–34
Phadke, M. S. 2081–107
PHASE OF SPEECH SIGNALS (TRANSMITTING DATA ON THE) 2947–70
Philen, D. L. 283–93
PHOTODETECTOR RECEIVERS (AVALANCHE) FOR LONG-WAVELENGTH OPTICAL COMMUNICATIONS (SENSITIVITY OF) 2929–46
PHYSICAL DESIGN AND ARCHITECTURE (1A VOICE STORAGE SYSTEM) 841–61
PHYSICAL DESIGN (No. 10A REMOTE SWITCHING SYSTEM) 525–64
PHYSICAL DESIGN OF D4 AND *SLC*™-96 SUBSCRIBER LOOP CARRIER SYSTEM DIGITAL TERMINALS (D4 DIGITAL CHANNEL BANK FAMILY) 2757–90
Physical Limits of Digital Optical Switching and Logic Elements (On the) 1975–93
PICTURES (DPCM-CODED; IMPROVED RECONSTRUCTION OF) 969–79
Piecewise Linear Approximation of Multivariate Functions 1463–86
Piereth, R. J. 1759–77

Pirsch, P. 747–64
Planning and Conducting Field-Tracking Studies 2333–64
Planning Methods (Feeder) for Digital Loop Carrier 2129–41
Post, I. G. 2815–34
Power Complex (No. 10A Remote Switching System) 451–89
Power Sums With Log-Normal Components (Distribution Function and Moments of) 1441–62
Prabhu, V. K. 1389–411
Prell, E. M. 1655–73
Premises Information System (Human Performance Engineering Considerations for) 765–97
Presby, H. M. 267–82
Primal Algorithm for Finding Minimum Cost Flows in Capacitated Networks with Applications (A) 949–68
Private Networks (Evaluation of) 2143–66
Production Database Management System (DBM-2; Design and Implementation of a) 2511–28
Product Quality Assurance (Plan to Audit) 2081–107
Program Controlled Network (Stored) 1573–803
Projection Algorithm
For Special-Services Demand (Sequential) 39–66
For Traffic Load Forecasting (Robust Sequential) 15–38
Prologue (Stored Program Controlled Network) 1575–7
*PROMUS** Reprogrammer (No. 10A Remote Switching System) 419–50
Propagation Effects on COMSTAR Satellite Signals (Low-Elevation-Angle) 1567–72
Propagation (Electromagnetic) in Homogeneous Media With Hermitian Permeability and Permittivity 935–48
Prototype Videotex System Design 2475–86
Pseudo-Random Number Generator (Good, 48-Bit; Implementing and Testing New Versions of a) 2053–63
Public Switched Network (Sizing Final Trunk Groups in) 123–35
Pulse Code Modulation Systems (Thin-Film Dual Active Filter for; D4 Digital Channel Bank Family) 2815–34

Q

QEP *See* Quality Evaluation Plan
Quality Assurance (Planning and Conducting Field-Tracking Studies for) 2333–64
Quality Control (MIL-STD-105D Sampling Plans Used for) 137–57
Quality Evaluation Plan Using Adaptive Kalman Filtering 2081–107
Queue (Large Primary; Traffic Overflow System With) 1487–517
Queues (Transient *GI/G/*1; Approximate Mean Waiting Times in) 2003–22
Queueing Networks
(Closed Markovian; Integral Representations and Asymptotic Expansions—Normal Usage) 661–83
(Moment Formulae for a Class of Mixed Multi-Job-Type) 709–45
Queueing Networks Analysis (Markovian; Overview of PANACEA, Software Package for) 2849–72
Queueing System (*GI/G/*1; Class of Approximations for the Waiting Time in a) 295–325

R

Rabiner, L. R. 363–73, 981–1001, 2289–312, 2971–87, 2989–3005
Radio Channel (Space-Diversity; Statistical Model of Multipath Fading on a) 2185–219
Ramakrishnan, K. G. 2849–72
Random Variable Distribution (Computing Via Gaussian Quadrature Rules) 2245–61
Ransom, V. L. 1655–73
Rate Change Circuits (Fractional; General Class of Zero- or Minimal Delay) 327–46
Rayleigh Fading in Gaussian Noise (Error Probability of Partial-Response Continuous-Phase Modulation With Coherent MSK-Type Receiver, Diversity, and) 1933–63
RC-Shaped Gaussian Input Signals (Peak Signal-to-Noise Ratio Formulas for Multistage Delta Modulation With) 347–62
Real-Time Database Management System for No. 5 ESS 2423–37
Real-Time *UNIX* Operating System

* *PROMUS* is a trademark of Western Electric.

(Control of Database Administration System by) 2439–58
Reconstruction of DPCM-Coded Pictures (Improved) 969–79
Recorded Announcements (Using Magnetic Bubble Memories to Provide) 1841–62
Record Management System (Distributed; Issues in the Design of a) 2555–66
Record-Retrieval Facility (Design for a) 2555–66
Recovery Strategies for a Fault-Tolerant No. 4 Electronic Switching System (Design of) 3019–40
Recursive Estimation Using the Lattice Structure (Fast) 97–115
Reed, W. A. 262–6
Regular Series Parallel Channel Graphs (Comparisons on Blocking Probabilities for) 1965–73
Reliability Aspects (No. 10A Remote Switching System) 525–64
Reliability, Maintenance, and Office Engineering (1A Voice Storage System) 885–911
Remote Access Service (1A Voice Storage System) 821–39
Remote, On-Line, Call-Processing-Related Databases (Database Administration System for) 2439–58
Remote Order Processing (No. 10A Remote Switching System) 565–96
Remote Switching System (No. 10A) 391–646
Remote Terminal Firmware (No. 10A Remote Switching System) 565–96
Remote Terminal Maintenance (No. 10A Remote Switching System) 597–625
Repair (Cable) Administrative System (Automated Repair Service Bureau) 1275–91
Repair Service Bureau (Automated) 1095–347
Requirements and Objectives (No. 10A Remote Switching System) 391–417
Resource Administration (No. 10A Remote Switching System) 491–524
Rhodes, S. P. 1153–63
Robbins, J. D. 1895–910
Roberts, C. S. 2053–63
Robinson, T. W. 1235–56
Robust Sequential Projection Algorithm for Traffic Load Forecasting (A) 15–38
Rochkind, M. J. 1177–95, 2387–405
Rocklin, S. M. 123–35
Rogers, B. W. 1675–714
Roome, W. D. 2567–96
Rose, G. R. 2511–28
Rosenberg, A. E. 2989–3005
Routing of Direct-Signaling Messages in the CCIS Network (Stored Program Controlled Network) 1599–609
Rowe, H. E. 1519–25
Rowley, J. E. 1841–62
RSS *See* Remote Switching System
Rubald, C. M. 1759–77
Rubin, H. 1257–74
Rummler, W. D. 2185–219

S

Saifi, M. A. 385–90
Saleh, A. A. M. 2221–43
Salerno, D. C. 1745–57
Sampling Standard (MIL-STD-105D) 137–57
Sampling System (Continuing Evolution of the Military Standard 105D) 137–57
Sampson, S. F. 1779–97
Sandberg, I. W. 159–99, 201–25
Saperstein, B. 2333–64
Satellite Signals (COMSTAR: Low-Elevation-Angle Propagation Effects on) 1567–72
Satellite Transmissions (TV Bandwidth Compression Techniques Using Time-Companded Differentials and Their Applications to) 2917–27
Scanned Acoustic Microscope (Description of Bell Laboratories) 2167–83
Schenker, L. 1095–6
Schmidt, R. B. 565–96
Schwartz, M. A. 2129–41
Schwartz, S. C. 1441–62
Seasonal Load Forecasting Algorithm Based on Kalman Filter Estimation Techniques 67–96
Sebeson, J. M. 1637–54
Second-Generation Mechanized Loop Testing System—Distributed Microprocessor Application (Automated Repair Service Bureau) 1257–74
Segal, M. 949–68
Seltzer, L. A. 2263–88
Sensitivity of Avalanche Photodetector Receivers for Long-Wavelength Optical Communications 2929–46
Sequential Projection Algorithm for Special-Services Demand (A) 39–66
Sequential Projection Algorithm for

Traffic Load Forecasting (Robust) 15–38
Sheehey, R. E. 2741–56
Sheinbein, D. 1737–44, 1745–57
Shichor, E. 97–115
Short-Term Forecasting Algorithm for Trunk Demand Servicing (A) 67–96
Signaling Architecture and Capabilities (Stored Program Controlled Network; No. 1/1A ESS) 1611–36
Signaling, Hardware, and Software Implementation for Calling Card Service (TSPS; Stored Program Controlled Network) 1675–714
Signal-to-Noise Ratio Formulas for Multistage Delta Modulation With RC-Shaped Gaussian Input Signals (Peak) 347–62
Simms, R. L. 1589–98
Simulation and Design Studies of Digital Subscriber Lines 1003–77
Simultaneous Transmission of Speech and Data on the Phase of Speech Signals 2947–70
Single-Mode Fiber (Double-Clad; Experimental Verification of Ultra-Wide Bandwidth Spectra in) 385–90
Single-Mode Fiber Systems (Considerations for) 1919–31
Single-Mode Optical Fiber With Low Dispersion, Low Loss, and Tight Mode Confinement (Fabrication and Properties of) 262–6
Single-Server Queueing Models (Class of Approximations for Waiting Time Distribution in) 295–325
Single-Sideband Modulation for Mobile Radio (Frequency-Hopped) 1389–411
SLC™-96 and D4 Subscriber Loop Carrier System Terminals (Physical Design of; D4 Digital Channel Bank Family) 2757–90
SLC™-96 System (D4 Digital Channel Bank Family) 2677–702
Sloane, J. A. 1911–7
Smith, D. P. 391–417
Smith, G. W., Jr. 815–9
Smith, J. V. 841–61
Smith, P. W. 1975–93
Smith, R. G. 2929–46
Sodomsky, K. F. 2791–813
Software, Hardware, and Signaling Implementation for Calling Card Service (TSPS; Stored Program Controlled Network) 1675–714
Software (Host; No. 10A Remote Switching System) 491–524
Software (1A Voice Storage System) 863–83
Software Package for Analyzing Markovian Queueing Networks (PANACEA; Overview of) 2849–72
Software Tools and Components (Automated Repair Service Bureau) 1177–95
Some External Markov Chains 2065–80
Some Factors Affecting Performance of Dynamic Time Warping Algorithms for Isolated Word Recognition 363–73
Sondhi, M. M. 1871–94
Space-Diversity Radio Channel (Statistical Model of Multipath Fading on a) 2185–219
Sparber, R. G. 451–89, 627–42
Spatial Subsampling in Motion-Compensated Television Coders 1895–910
SPC *See* Stored Program Controlled
Speaker-Trained, Isolated Word Recognition Tests on a Large Vocabulary 2989–3005
Special Customer Needs (Function of Stored Program Controlled Network to Provide) 1589–98
Special-Purpose Computer for Logic Simulation Using Distributed Processing 2873–909
Special-Services Circuit Demand (Network Planning and Provisioning for) 1–14
Special-Services Demand (Sequential Projection Algorithm for) 39–66
Spectrographic Format for Acoustic Representation of Speech Signals 799–810
Speech Coder (9.6-kb/s DSP) 2263–88
Speech Recognition Using Energy Pattern Information Along With LPC Pattern Information 2971–87
Speech Signals (Transmitting Data on the Phase of) 2947–70
Speech-Television Communication Over a Lightguide Link (Bidirectional; Feasibility of) 1359–65
Speed Calling Service (1A Voice Storage System) 821–39
Spires, D. A. 2611–64
Staehler, R. W. 1579–88
Stakelon, T. S. 1359–65
St. Amand, P. G. 2703–20, 2721–40
Stand-Alone Service (No. 10A Remote Switching System) 565–96
Starr, T. J. J. 419–50
Statistical Model of Multipath Fading on

a Space-Diversity Radio Channel (A) 2185–219
Steele, R. 347–62, 1389–411, 2947–70
Stochastic Theory of a Data-Handling System with Multiple Sources 1871–94
Stored Program Controlled Network:
Acronyms and Abbreviations 1799–803
Calling Card Service—Human Factors Studies 1715–35
Calling Card Service—Overall Description and Operational Characteristics 1655–73
Calling Card Service—TSPS Hardware, Software, and Signaling Implementation 1675–714
CCIS and SPC Network Performance 1637–54
Data Base Administration System—Architecture and Data Base Design 1779–97
Data Base Administration System—Overall Description and Operational Characteristics 1759–77
800 Service Using SPC Network Capability 1737–44
800 Service Using SPC Network Capability—Network Implementation and Administrative Functions 1745–57
Generic Network Plan 1589–98
No. 1/1A ESS—SPC Network Capabilities and Signaling Architecture 1611–36
Overview 1579–88
Prologue 1575–7
Routing of Direct-Signaling Messages in the CCIS Network 1599–609
STRATEGIES AND TECHNIQUES FOR TESTING MECHANIZED LOOPS (AUTOMATED REPAIR SERVICE BUREAU) 1209–34
STRUCTURE OF A DATABASE FILE SYSTEM FOR THE *UNIX* OPERATING SYSTEM 2387–405
SUBNETWORKS (IMPLEMENTATION OF A DISTRIBUTED DATABASE MANAGEMENT SYSTEM TO SUPPORT LOGICAL) 2459–74
SUBRATE DATAPORT CHANNEL UNITS FOR DIGITAL DATA SYSTEM (D4 DIGITAL CHANNEL BANK FAMILY) 2721–40
SUBSAMPLING (SPATIAL) IN MOTION-COMPENSATED TELEVISION CODERS 1895–910
SUBSCRIBER LINES (DIGITAL; SIMULATION AND DESIGN STUDIES OF) 1003–77
SUBSCRIBER LOOP TESTING (AUTOMATED REPAIR SERVICE BUREAU) 1209–34, 1235–56, 1257–74
Sulewski, P. 2167–83
Sundberg, C.-E. 1933–63
SWITCH (CONTEXT-SENSITIVE) OF THE LOOP MAINTENANCE OPERATIONS SYSTEM (AUTOMATED REPAIR SERVICE BUREAU) 1197–208
SWITCHED CAPACITOR FILTERS (PARASITIC INSENSITIVE, BIPHASE) REALIZED WITH ONE OPERATIONAL AMPLIFIER PER POLE PAIR 685–707
SWITCHING (DIGITAL OPTICAL) AND LOGIC ELEMENTS (PHYSICAL LIMITS OF) 1975–93
SWITCHING NETWORKS (No. 10A REMOTE SWITCHING SYSTEM) 391–417
SYSTEM ARCHITECTURE (AUTOMATED REPAIR SERVICE BUREAU) 1115–29
SYSTEM MAINTENANCE (No. 10A REMOTE SWITCHING SYSTEM) 597–625
Szelag, C. R. 67–96, 123–35

T

Tap-Leakage Algorithm: An Algorithm for the Stable Operation of a Digitally Implemented, Fractionally Spaced Adaptive Equalizer (The) 1817–39
TARGET USER'S BEHAVIOR A CONSIDERATION IN DESIGN OF VERY LARGE-SCALE COMPUTER-BASED SYSTEMS 765–97
TDM SLOTS (MOVABLE) IN INTEGRATED VOICE/DATA LOCAL NETWORKS (VARIATION ON CSMA/CD THAT YIELDS) 1527–50
TELECOMMUNICATIONS (OPTICAL; VIDEO COLORIZATION DIAGNOSTICS IN) 267–82
TELEPHONE PLANT MODEL (LOCAL LOOP; DIRECTED HYPERGRAPH DATABASE) 2529–54
TELEVISION CODERS (MOTION-COMPENSATED; SPATIAL SUBSAMPLING IN) 1895–910
TELEVISION PICTURES (ADAPTIVE INTERFRAME DPCM ENCODING FOR DIGITAL TRANSMISSION OF) 747–64
TERMINAL FIRMWARE
(No. 10A Remote Switching System) 391–417
(Remote; No. 10A Remote Switching System) 565–96
TEST CIRCUITS (No. 10A REMOTE SWITCHING SYSTEM) 451–5[illegible]
TESTING D4 CHANNEL UNITS (USE OF D4 MAINTENANCE BANK FOR) 2665–76
TESTING (MECHANIZED LOOP) STRATEGIES AND TECHNIQUES (AUTOMATED REPAIR SERVICE BUREAU) 1209–34
TESTING SYSTEM (MECHANIZED LOOP)

(Automated Repair Service Bureau) 1235–56
Distributed Microprocessor Application (Automated Repair Service Bureau) 1257–74
Thakkar, B. S. 525–64
Theoretical Model of Transient Heat Transfer in a Firestopped Cable Bundle (A) 2313–31
THEORY (STOCHASTIC) OF A DATA-HANDLING SYSTEM WITH MULTIPLE SOURCES 1871–94
Theriot, E. J. 1235–56
THERMAL MODEL FOR OUTDOOR ELECTRONICS CABINETS (APPROXIMATE) 227–46
THIN-FILM DUAL ACTIVE FILTER FOR PULSE CODE MODULATION SYSTEMS (D4 DIGITAL CHANNEL BANK FAMILY) 2815–34
Thornberry, R. J., Jr. 1675–714
THREE-WAY CALLING SERVICE (1A VOICE STORAGE SYSTEM) 821–39
Tietz, D. W. 1779–97
TIME-COMPANDED DIFFERENTIALS AND THEIR APPLICATIONS TO SATELLITE TRANSMISSIONS (TV BANDWIDTH COMPRESSION TECHNIQUES USING) 2917–27
TIME-DIVISION MULTIPLEXED *See* TDM
TIME-VARYING NONLINEAR SYSTEMS (VOLTERRA EXPANSIONS FOR) 201–25
Timor, U. 3007–17
Titus, J. M. 1567–72
TOOLS AND COMPONENTS (SOFTWARE; AUTOMATED REPAIR SERVICE BUREAU) 1177–95
TRACKING AND REPAIRING CUSTOMER-REPORTED TELEPHONE-SERVICE TROUBLES (AUTOMATED REPAIR SERVICE BUREAU) 1165–76
TRAFFIC LOAD FORECASTING (ROBUST SEQUENTIAL PROJECTION ALGORITHM FOR) 15–38
Traffic Overflow System With a Large Primary Queue (A) 1487–517
TRAFFIC SERVICE POSITION SYSTEM *See* TSPS
TRAINING PROCEDURE FOR CONNECTED-DIGIT RECOGNITION (IMPROVED) 981–1001
TRANSACTION-ORIENTED DATABASE MANAGEMENT SYSTEM (DBM-2) 2511–28
TRANSIENT *GI/G/1* QUEUES (APPROXIMATE MEAN WAITING TIMES IN) 2003–22
TRANSIENT HEAT TRANSFER IN A FIRESTOPPED CABLE BUNDLE (THEORETICAL MODEL OF) 2313–31
TRANSMISSION INTERFACE (NO. 10A REMOTE SWITCHING SYSTEM) 391–417
TRANSMISSION PLAN (NO. 10A REMOTE SWITCHING SYSTEM) 627–42
Transmitting Data on the Phase of Speech Signals 2947–70
TREAT *See* TROUBLE REPORT EVALUATION AND ANALYSIS TOOL
Tribolet, J. M. 2289–312
TROUBLE REPORT EVALUATION AND ANALYSIS TOOL (AUTOMATED REPAIR SERVICE BUREAU) 1153–63
TRUNK DEMAND SERVICING (SHORT-TERM FORECASTING ALGORITHM FOR) 67–96
TRUNK GROUP BLOCKING (EFFECTS OF DAY-TO-DAY LOAD VARIATION ON) 123–35
TSPS HARDWARE, SOFTWARE, AND SIGNALING IMPLEMENTATION (CALLING CARD SERVICE; STORED PROGRAM CONTROLLED NETWORK) 1675–714
TV Bandwidth Compression Techniques Using Time-Companded Differentials and Their Applications to Satellite Transmission 2917–27

U

Uhrhane, F. J. 1209–34
ULTRA-WIDE BANDWIDTH SPECTRA IN DOUBLE-CLAD SINGLE-MODE FIBER (EXPERIMENTAL VERIFICATION OF) 385–90
UNIDIRECTIONAL LOCAL-AREA COMMUNICATIONS NETWORK (DESCRIPTION OF FASNET) 1413–40
UNIVERSAL SERVICE CIRCUIT OVERVIEW (NO. 10A REMOTE SWITCHING SYSTEM) 451–89
UNIX OPERATING SYSTEM
Made Safe for Databases 2407–22
(Structure of a Database File System for the) 2387–405
(Used in Development of Software for Automated Repair Service Bureau) 1177–95
Use of Energy in LPC-Based Recognition of Isolated Words (On the) 2971–87
USER'S BEHAVIOR A CONSIDERATION IN DESIGN OF VERY LARGE-SCALE COMPUTER-BASED SYSTEMS 765–97
Using Magnetic Bubble Memories to Provide Recorded Announcements 1841–62

V

Van Dine, G. A. 885–911
Variation on CSMA/CD That Yields Mov-

able TDM Slots in Integrated Voice/Data Local Networks (A) 1527–50
VERIFICATION OF ULTRA-WIDE BANDWITH SPECTRA IN DOUBLE-CLAD SINGLE-MODE FIBER (EXPERIMENTAL) 385–90
Verma, S. P. 2741–56
Vetter, R. W., Jr. 1097–114
Video Colorization Diagnostics in Optical Communications 267–82
VIDEO SIGNAL TRANSMISSION (DETECTION OF LONG ERROR BURSTS DURING) 1911–7
VIDEOTEX SYSTEM (DESIGN OF A PROTOTYPE) 2475–86
VOCABULARY (LARGE) FOR ISOLATED WORD RECOGNITION SYSTEM 2989–3005
Vogler, J. F. 1131–51
VOICE AND DATA SHARING OF DIGITAL TERMINALS (USE OF DATAPORT TO ALLOW) 2721–40
VOICE/DATA LOCAL NETWORKS (VARIATION ON CSMA/CD THAT YIELDS MOVABLE TDM SLOTS IN INTEGRATED) 1527–50
VOICE NETWORK (NO. 10A REMOTE SWITCHING SYSTEM) 451–89
VOICE STORAGE IN THE NETWORK (PERSPECTIVE AND HISTORY, 1A VOICE STORAGE SYSTEM) 811–3
(Comments on) 2365
VOICE STORAGE SYSTEM (1A)
(Acronyms and Abbreviations) 913–4
(Architecture and Physical Design) 841–61
(Custom Calling Services) 821–39
(Office Engineering, Maintenance, and Reliability) 885–911
(Prologue) 815–9
(Software) 863–83
VOLTERRA EXPANSIONS FOR NONLINEAR SYSTEMS 159–99
Volterra Expansions for Time-Varying Nonlinear Systems 201–25

W

WAITING TIME DISTRIBUTION IN A *GI/G/1* QUEUEING SYSTEM (CLASS OF APPROXIMATIONS FOR) 295–325
WAITING TIMES IN TRANSIENT *GI/G/1* QUEUES (APPROXIMATE MEAN) 2003–22
Wang, C. C. 2439–58
Watson, D. S. 1165–76
Weber, F. E. 2703–20
Weber, R. P. 1737–44
Weinberger, P. J. 2407–22
Weinstein, S. B. 1817–39
Whitaker, B. A. 1–14
Whitehead, L. D. 863–83
Wickham, T. F. 391–417
Wideband, Bidirectional Lightguide Communication With an Optically Powered Audio Channel 1359–65
Willett, R. J. 3019–40
Williams, J. R. 1655–73
Williamson, D. H. 2677–702
Wilpon, J. G. 981–1001, 2289–312, 2989–3005
Wong, W. C. 2947–70
Woomer, F. N. 2129–41
WORD RECOGNITION
(Connected; Improved Training Procedure for) 981–1001
(Isolated) for Large Vocabularies 2989–3005
(Isolated; Improved Model for) 2289–312
(Isolated, LPC-Based; Use of Energy in) 2971–87
(Isolated; Some Factors Affecting Performance of Dynamic Time Warping Algorithms for) 363–73
Worrall, D. P. 821–39
Wright, P. E. 1487–517

X

Xydeas, C. S. 2947–70

Y

Yavelberg, I. S. 765–97
Yeh, Y. S. 1441–62
Yokelson, B. J. 1579–88
Youngs, E. A. 1715–35

Z

ZERO- OR MINIMUM-DELAY FRACTIONAL RATE CHANGE CIRCUITS (GENERAL CLASS OF) 327–46
Zielinski, J. E. 1293–9